

OPENING SPECIFICATIONS

SLOPED SILL SINGLE HUNG

UNIT SIZE		CLEAR OPENING		SQUARE FT. CLEAR OPENING
		WIDTH	HEIGHT	
18	36	12-1/4	13-11/16	1.16
18	42	12-1/4	16-11/16	1.42
18	48	12-1/4	19-11/16	1.67
18	54	12-1/4	22-11/16	1.93
18	60	12-1/4	25-11/16	2.19
18	63	12-1/4	27-3/16	2.31
18	66	12-1/4	28-11/16	2.44
18	72	12-1/4	31-11/16	2.70
18	78	12-1/4	34-11/16	2.95
24	36	18-1/4	13-11/16	1.73
24	42	18-1/4	16-11/16	2.11
24	48	18-1/4	19-11/16	2.50
24	54	18-1/4	22-11/16	2.88
24	60	18-1/4	25-11/16	3.26
24	63	18-1/4	27-3/16	3.45
24	66	18-1/4	28-11/16	3.64
24	72	18-1/4	31-11/16	4.02
24	78	18-1/4	34-11/16	4.40
30	36	24-1/4	13-11/16	2.31
30	42	24-1/4	16-11/16	2.81
30	48	24-1/4	19-11/16	3.32
30	54	24-1/4	22-11/16	3.82
30	60	24-1/4	25-11/16	4.33
30	63	24-1/4	27-3/16	4.58
30	66	24-1/4	28-11/16	4.83
30	72	24-1/4	31-11/16	5.34
30	78	24-1/4	34-11/16	5.84*
32	36	26-1/4	13-11/16	2.50
32	42	26-1/4	16-11/16	3.04
32	48	26-1/4	19-11/16	3.59
32	54	26-1/4	22-11/16	4.14
32	60	26-1/4	25-11/16	4.68
32	63	26-1/4	27-3/16	4.96
32	66	26-1/4	28-11/16	5.23
32	72	26-1/4	31-11/16	5.78*
32	78	26-1/4	34-11/16	6.32*
36	36	30-1/4	13-11/16	2.88
36	42	30-1/4	16-11/16	3.51
36	48	30-1/4	19-11/16	4.14
36	54	30-1/4	22-11/16	4.77
36	60	30-1/4	25-11/16	5.40
36	63	30-1/4	27-3/16	5.71*
36	66	30-1/4	28-11/16	6.03*
36	72	30-1/4	31-11/16	6.66*
36	78	30-1/4	34-11/16	7.29*

+/- 1/16" on all dimensions

* Units that meet ubc egress codes (5.7 sq. ft.-20" width & 24" height clear opening)

SLOPED SILL SINGLE HUNG

UNIT SIZE		CLEAR OPENING		SQUARE FT. CLEAR OPENING
		WIDTH	HEIGHT	
38	36	32-1/4	13-11/16	3.07
38	42	32-1/4	16-11/16	3.74
38	48	32-1/4	19-11/16	4.41
38	54	32-1/4	22-11/16	5.08
38	60	32-1/4	25-11/16	5.75*
38	63	32-1/4	27-3/16	6.09*
38	66	32-1/4	28-11/16	6.42*
38	72	32-1/4	31-11/16	7.10*
38	78	32-1/4	34-11/16	7.77*
40	36	34-1/4	13-11/16	3.26
40	42	34-1/4	16-11/16	3.97
40	48	34-1/4	19-11/16	4.68
40	54	34-1/4	22-11/16	5.40
40	60	34-1/4	25-11/16	6.11*
40	63	34-1/4	27-3/16	6.47*
40	66	34-1/4	28-11/16	6.82*
40	72	34-1/4	31-11/16	7.54*
40	78	34-1/4	34-11/16	8.25*
42	36	36-1/4	13-11/16	3.45
42	42	36-1/4	16-11/16	4.20
42	48	36-1/4	19-11/16	4.96
42	54	36-1/4	22-11/16	5.71*
42	60	36-1/4	25-11/16	6.47*
42	63	36-1/4	27-3/16	6.84*
42	66	36-1/4	28-11/16	7.22*
42	72	36-1/4	31-11/16	7.98*
42	78	36-1/4	34-11/16	8.73*
48	36	42-1/4	13-11/16	4.02
48	42	42-1/4	16-11/16	4.90
48	48	42-1/4	19-11/16	5.78*
48	54	42-1/4	22-11/16	6.66*
48	60	42-1/4	25-11/16	7.54*
48	63	42-1/4	27-3/16	7.98*
48	66	42-1/4	28-11/16	8.42*
48	72	42-1/4	31-11/16	9.30*
48	78	42-1/4	34-11/16	10.18*

+/- 1/16" on all dimensions

* Units that meet ubc egress codes (5.7 sq. ft.-20" width & 24" height clear opening)

OPENING SPECIFICATIONS

SLOPED SILL SINGLE HUNG W/DP50 UPGRADE

UNIT SIZE		CLEAR OPENING		SQUARE FT. CLEAR OPENING
		WIDTH	HEIGHT	
18	36	12-1/4	13-3/8	1.14
18	42	12-1/4	16-3/8	1.39
18	48	12-1/4	19-3/8	1.65
18	54	12-1/4	22-3/8	1.90
18	60	12-1/4	25-3/8	2.16
18	63	12-1/4	26-7/8	2.29
18	66	12-1/4	28-3/8	2.41
18	72	12-1/4	31-3/8	2.67
18	78	12-1/4	34-3/8	2.92
24	36	18-1/4	13-3/8	1.70
24	42	18-1/4	16-3/8	2.08
24	48	18-1/4	19-3/8	2.46
24	54	18-1/4	22-3/8	2.84
24	60	18-1/4	25-3/8	3.22
24	63	18-1/4	26-7/8	3.41
24	66	18-1/4	28-3/8	3.60
24	72	18-1/4	31-3/8	3.98
24	78	18-1/4	34-3/8	4.36
30	36	24-1/4	13-3/8	2.25
30	42	24-1/4	16-3/8	2.76
30	48	24-1/4	19-3/8	3.26
30	54	24-1/4	22-3/8	3.77
30	60	24-1/4	25-3/8	4.27
30	63	24-1/4	26-7/8	4.53
30	66	24-1/4	28-3/8	4.78
30	72	24-1/4	31-3/8	5.28
30	78	24-1/4	34-3/8	5.79*
32	36	26-1/4	13-3/8	2.44
32	42	26-1/4	16-3/8	2.99
32	48	26-1/4	19-3/8	3.53
32	54	26-1/4	22-3/8	4.08
32	60	26-1/4	25-3/8	4.63
32	63	26-1/4	26-7/8	4.90
32	66	26-1/4	28-3/8	5.17
32	72	26-1/4	31-3/8	5.72*
32	78	26-1/4	34-3/8	6.27*
36	36	30-1/4	13-3/8	2.81
36	42	30-1/4	16-3/8	3.44
36	48	30-1/4	19-3/8	4.07
36	54	30-1/4	22-3/8	4.70
36	60	30-1/4	25-3/8	5.33
36	63	30-1/4	26-7/8	5.65
36	66	30-1/4	28-3/8	5.96*
36	72	30-1/4	31-3/8	6.59*
36	78	30-1/4	34-3/8	7.22*

SLOPED SILL SINGLE HUNG W/DP50 UPGRADE

UNIT SIZE		CLEAR OPENING		SQUARE FT. CLEAR OPENING
		WIDTH	HEIGHT	
38	36	32-1/4	13-3/8	3.00
38	42	32-1/4	16-3/8	3.67
38	48	32-1/4	19-3/8	4.34
38	54	32-1/4	22-3/8	5.01
38	60	32-1/4	25-3/8	5.68
38	63	32-1/4	26-7/8	6.02*
38	66	32-1/4	28-3/8	6.35*
38	72	32-1/4	31-3/8	7.03*
38	78	32-1/4	34-3/8	7.70*
40	36	34-1/4	13-3/8	3.18
40	42	34-1/4	16-3/8	3.89
40	48	34-1/4	19-3/8	4.61
40	54	34-1/4	22-3/8	5.32
40	60	34-1/4	25-3/8	6.04*
40	63	34-1/4	26-7/8	6.39*
40	66	34-1/4	28-3/8	6.75*
40	72	34-1/4	31-3/8	7.46*
40	78	34-1/4	34-3/8	8.18*
42	36	36-1/4	13-3/8	3.37
42	42	36-1/4	16-3/8	4.12
42	48	36-1/4	19-3/8	4.88
42	54	36-1/4	22-3/8	5.63
42	60	36-1/4	25-3/8	6.39*
42	63	36-1/4	26-7/8	6.77*
42	66	36-1/4	28-3/8	7.14*
42	72	36-1/4	31-3/8	7.90*
42	78	36-1/4	34-3/8	8.65*
48	36	42-1/4	13-3/8	3.92
48	42	42-1/4	16-3/8	4.80
48	48	42-1/4	19-3/8	5.68
48	54	42-1/4	22-3/8	6.56*
48	60	42-1/4	25-3/8	7.45*
48	63	42-1/4	26-7/8	7.89*
48	66	42-1/4	28-3/8	8.33*
48	72	42-1/4	31-3/8	9.21*
48	78	42-1/4	34-3/8	10.09*

+/- 1/16" on all dimensions

Units that meet ubc egress codes (5.7 sq. ft.-20" width & 24" height clear opening)

OPENING SPECIFICATIONS

MAINFRAME SINGLE HUNG

UNIT SIZE		CLEAR OPENING		SQUARE FT. CLEAR OPENING
		WIDTH	HEIGHT	
18	36	12-1/4	13-1/4	1.13
18	42	12-1/4	16-1/4	1.38
18	48	12-1/4	19-1/4	1.64
18	54	12-1/4	22-1/4	1.89
18	60	12-1/4	25-1/4	2.15
18	63	12-1/4	26-3/4	2.28
18	66	12-1/4	28-1/4	2.40
18	72	12-1/4	31-1/4	2.66
18	78	12-1/4	34-1/4	2.91
24	36	18-1/4	13-1/4	1.68
24	42	18-1/4	16-1/4	2.06
24	48	18-1/4	19-1/4	2.44
24	54	18-1/4	22-1/4	2.82
24	60	18-1/4	25-1/4	3.20
24	63	18-1/4	26-3/4	3.39
24	66	18-1/4	28-1/4	3.58
24	72	18-1/4	31-1/4	3.96
24	78	18-1/4	34-1/4	4.34
30	36	24-1/4	13-1/4	2.23
30	42	24-1/4	16-1/4	2.74
30	48	24-1/4	19-1/4	3.24
30	54	24-1/4	22-1/4	3.75
30	60	24-1/4	25-1/4	4.25
30	63	24-1/4	26-3/4	4.50
30	66	24-1/4	28-1/4	4.76
30	72	24-1/4	31-1/4	5.26
30	78	24-1/4	34-1/4	5.77*
32	36	26-1/4	13-1/4	2.42
32	42	26-1/4	16-1/4	2.96
32	48	26-1/4	19-1/4	3.51
32	54	26-1/4	22-1/4	4.06
32	60	26-1/4	25-1/4	4.60
32	63	26-1/4	26-3/4	4.88
32	66	26-1/4	28-1/4	5.15
32	72	26-1/4	31-1/4	5.70*
32	78	26-1/4	34-1/4	6.24*
36	36	30-1/4	13-1/4	2.78
36	42	30-1/4	16-1/4	3.41
36	48	30-1/4	19-1/4	4.04
36	54	30-1/4	22-1/4	4.67
36	60	30-1/4	25-1/4	5.30
36	63	30-1/4	26-3/4	5.62
36	66	30-1/4	28-1/4	5.93*
36	72	30-1/4	31-1/4	6.56*
36	78	30-1/4	34-1/4	7.19*

+/- 1/16" on all dimensions

* Units that meet ubc egress codes (5.7 sq. ft.-20" width & 24" height clear opening)

MAINFRAME SINGLE HUNG

UNIT SIZE		CLEAR OPENING		SQUARE FT. CLEAR OPENING
		WIDTH	HEIGHT	
38	36	32-1/4	13-1/4	2.97
38	42	32-1/4	16-1/4	3.64
38	48	32-1/4	19-1/4	4.31
38	54	32-1/4	22-1/4	4.98
38	60	32-1/4	25-1/4	5.65
38	63	32-1/4	26-3/4	5.99*
38	66	32-1/4	28-1/4	6.33*
38	72	32-1/4	31-1/4	7.00*
38	78	32-1/4	34-1/4	7.67*
40	36	34-1/4	13-1/4	3.15
40	42	34-1/4	16-1/4	3.87
40	48	34-1/4	19-1/4	4.58
40	54	34-1/4	22-1/4	5.29
40	60	34-1/4	25-1/4	6.01*
40	63	34-1/4	26-3/4	6.36*
40	66	34-1/4	28-1/4	6.72*
40	72	34-1/4	31-1/4	7.43*
40	78	34-1/4	34-1/4	8.15*
42	36	36-1/4	13-1/4	3.34
42	42	36-1/4	16-1/4	4.09
42	48	36-1/4	19-1/4	4.85
42	54	36-1/4	22-1/4	5.60
42	60	36-1/4	25-1/4	6.36*
42	63	36-1/4	26-3/4	6.73*
42	66	36-1/4	28-1/4	7.11*
42	72	36-1/4	31-1/4	7.87*
42	78	36-1/4	34-1/4	8.62*
48	36	42-1/4	13-1/4	3.89
48	42	42-1/4	16-1/4	4.77
48	48	42-1/4	19-1/4	5.65
48	54	42-1/4	22-1/4	6.53
48	60	42-1/4	25-1/4	7.41*
48	63	42-1/4	26-3/4	7.85*
48	66	42-1/4	28-1/4	8.29*
48	72	42-1/4	31-1/4	9.17*
48	78	42-1/4	34-1/4	10.05*

+/- 1/16" on all dimensions

* Units that meet ubc egress codes (5.7 sq. ft.-20" width & 24" height clear opening)